

Crystallisation process in $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10-x}\text{Nd}_x$ ($x = 0, 8.5$) amorphous alloys

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2009 J. Phys.: Conf. Ser. 144 012057

(<http://iopscience.iop.org/1742-6596/144/1/012057>)

View [the table of contents for this issue](#), or go to the [journal homepage](#) for more

Download details:

IP Address: 95.74.72.137

This content was downloaded on 26/04/2014 at 18:54

Please note that [terms and conditions apply](#).

Crystallisation process in $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10-x}\text{Nd}_x$ ($x = 0, 8.5$) amorphous alloys

P. Rizzi^{1,4}, M. Satta¹, S. Enzo², K. Georgarakis³, A.R. Yavari³ and M. Baricco¹

¹Dip. Chimica IFM and NIS/CNISM/INSTM, Università di Torino, V. Giuria 7, 10125 Torino, Italy

²Dipartimento di Chimica, Università di Sassari, Via Vienna 2, 07100 Sassari, Italy

³Institut National Polytechnique de Grenoble, 1130 rue de la Piscine, BP 75, 38402 Grenoble, France

⁴paola.rizzi@unito.it

Abstract. $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ and $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ ribbons were obtained by melt spinning. For both compositions, a fully amorphous phase was found and a clear T_g was observed. *In-situ* XRD measurements were carried out during heating of ribbons at the ID11 synchrotron beamline of ESRF, Grenoble (France). In order to identify the crystallisation products, an annealed $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ master alloy was analysed by SEM/EDS and XRD. The existence of new ternary compounds (MgCu_4Gd and Mg_2CuGd) in the Mg-Cu-Gd system is suggested.

1. Introduction

Mg-Cu-RE (RE = Rare Earth) amorphous alloys have attracted attention because of their high strength-to-weight ratio and low glass transition temperatures. Among these systems, the $\text{Mg}_{65}\text{Cu}_{25}\text{Y}_{10}$ alloy exhibits high glass forming ability (GFA) [1-3]. A significant improvement of GFA was reached with the substitution of Y with Gd, obtaining $\text{Mg}_{65}\text{Cu}_{25}\text{Gd}_{10}$ [4], or by adding other elements to the ternary composition [5,6]. The Mg-Cu-Y and Mg-Cu-Gd bulk metallic glasses have a tensile strength exceeding 600 MPa [7,8] but samples appear to be brittle. In some cases, the presence of nanocrystals in the amorphous matrix can enhance the strength of the material [9], so it is of interest the study of the early crystallisation stages in order to determine the crystalline phases involved. For $\text{Mg}_{65}\text{Cu}_{25}\text{Tb}_{10}$ [10] the formation of quasicrystalline phases is reported, that transform to Mg_2Cu , Mg_3Tb and unidentified phases during a second crystallisation stage. For $\text{Mg}_{65}\text{Cu}_{25}\text{Y}_{10}$ amorphous alloy, Murty and Hono [11] suggest the formation, as crystallisation products, of an Y containing Mg_2Cu , via polymorphic crystallisation. For amorphous $\text{Mg}_{60}\text{Cu}_{30}\text{Y}_{10}$, a eutectic crystallisation was suggested [12], with the formation of Mg_2Cu , MgY and MgCuY . Mg_2Cu and Cu_2Gd were identified in $\text{Mg}_{65}\text{Cu}_{25}\text{Gd}_{10}$ by Soubeyroux et al. [9]. So, the crystallisation process in Mg-Cu-RE amorphous alloys seems to be strongly dependent on composition.

In this paper, $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ alloy was selected as a starting composition for studying crystallisation and GFA. An effect of Nd addition on crystallisation process was observed for $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ amorphous alloy. In order to identify the crystallisation products, a careful analysis of equilibrium compounds in the Mg-Cu-Gd system has been carried out.

2. Experimental

$\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ and $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ master alloys were prepared by arc melting suitable amount of Cu, Gd and Nd pure elements. The ingots were then remelted with Mg in an induction furnace under argon atmosphere. Ribbons with thickness of about 40 μm were prepared by melt spinning. Structural information were obtained performing both conventional X-Ray diffraction (XRD) analysis with Cu $K\alpha$ radiation and high-flux high-energy XRD in monochromatised synchrotron light at ID11 ESRF, Grenoble. *In-situ* annealing was performed with heating rate of 40°C/min and an acquisition time of 10 s per pattern, by using Linkam THMS600 heater, from room temperature to 300°C. Crystallisation and melting behaviour were checked by differential scanning calorimetry (DSC) by using a heating rate of 20°C/min. Scanning Electron Microscopy (SEM) coupled with Energy Dispersion Spectroscopy (EDS) was used to study the microstructure of an annealed master alloy.

3. Results and discussion

The results of the XRD *in-situ* experiments for $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ ribbon are reported in Fig 1, where the development of crystal phases from the amorphous halo is clearly evidenced. Selected XRD patterns from the *in-situ* experiment are reported in Fig. 2. The corresponding DSC trace of crystallisation is shown in Fig. 3a. T_g is evident at 151°C, followed by a main crystallisation peak starting at 212°C. A second exothermal event is observed at 314°C. Thermal data for crystallisation and melting are collected in Tab. 1. For $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$, the values of empirical parameters T_g/T_m , T_g/T_l , $\Delta T_x=(T_x-T_g)$

Table 1. Thermal properties determined using DSC on amorphous samples (T_g , T_x , T_m , T_l , ΔT_x in °C).

	T_g	T_{x1}	T_{x2}	ΔT_x	T_m	T_l	T_g/T_m	T_g/T_l	γ
$\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$	151	212	314	61	425	482	0.61	0.56	0.41
$\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$	147	191	309	44	434	480	0.59	0.56	0.39

and $\gamma=T_x/(T_g+T_l)$ [13] suggests a high GFA (Tab 1).

The amorphous phase ($T=40^\circ\text{C}$; Fig. 2a) remains stable up to 213°C, in good agreement with the DSC data (Fig. 3a). The first pattern showing crystalline diffraction peaks ($T=215^\circ\text{C}$; Fig 2b) evidences the presence of Mg_2Cu , together with an unidentified phase. After heating up to 300°C (Fig




Figure 1. XRD patterns from *in-situ* heating experiments for $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ amorphous alloy.




Figure 2. Selected XRD patterns from *in-situ* experiments for $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ ribbon a) 40°C; b) 215°C; c) 300°C; d) $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ annealed master alloy.

2c), a limited amount of amorphous phase is still present. An enlargement of the diffraction peaks with respect to the instrumental function (obtained with LaB_6) is observed. For example at $q=1.709$ the half

width at half maximum (HWHM) is 0.039 \AA^{-1} and the instrumental function is 0.00585 \AA^{-1} , so the presence of nanosized crystal phases at this temperature can be inferred. From the comparison of the XRD patterns b and c in Fig. 2, it is evident that the phase structure remains unchanged, suggesting a eutectic crystallisation mechanism, as confirmed by the single peak in the DSC trace (Fig. 3a).




Figure 3. DSC traces of a) $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$; b) $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$.




Figure 4. Backscattered SEM picture of $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ annealed master alloy.

In order to identify the diffraction peaks remained unassigned, a study of the phase mixture in the master alloy was carried out, assuming that stable phases can be present in the crystallised sample. The SEM micrograph of the $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ master alloy, after an isothermal treatment at 380°C for one week, is reported in Fig. 4. From the contrast in the electron backscattered image, four crystal phases are clearly evidenced, suggesting that this composition can hardly reach the equilibrium conditions. From the EDS analysis, Mg_2Cu is easily recognised as the darkest phase in Fig. 4 (zone a). MgCu_4Gd (zone b) and Mg_2CuGd (zone c) average compositions are also identified. A fourth phase, with higher Gd content, is observed in the SEM image (lightest crystals, zone d), with more scattered compositions, corresponding to an average value of $\text{Mg}_{37}\text{Cu}_{11}\text{Gd}_{52}$. Only two stable compounds are reported for the Mg-Cu-Gd system ($\text{Mg}_2\text{Cu}_9\text{Gd}$ and MgCu_2Gd_2) and no assessment is available for this phase diagram. So, a comprehensive analysis of the Mg-Cu-RE phase diagrams was carried out in




Figure 5. XRD patterns from *in-situ* heating experiments for $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ amorphous alloy.




Figure 6. Selected XRD patterns from *in-situ* experiments for $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ ribbon a) 40°C ; b) 198°C ; c) 205°C ; d) 300°C .

order to investigate on ternary compounds in similar systems [14-15]. MgCu_4RE and Mg_2CuRE compounds exist and their structural data are available in literature, therefore the identification of diffraction peaks corresponding to these phases was possible in the XRD pattern of the $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ annealed master alloy (Fig. 2d). Concerning zone d, $\text{Mg}_{37}\text{Cu}_{11}\text{Gd}_{52}$ composition lies on the line joining MgGd and CuGd phases, that have the same crystallographic structure (CsCl type), suggesting the existence of a region of solid solution between these phases. From the comparison of the XRD patterns of the annealed master alloy and crystallised ribbons (Fig. 2c and 2d), it appears that none of the ternary phases indexed in the master alloy were formed in the early stages of crystallisation.

Amorphous $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ ribbons were also crystallized *in-situ* (Fig. 5) and corresponding selected XRD patterns are given in Fig. 6. The addition of Nd to the $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ alloy produces a shoulder to the DSC crystallisation peak, as shown in Fig. 3b. The characteristic temperatures of T_g , T_x and T_m appear rather similar to those of $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ (Tab. 1), suggesting that the addition of Nd doesn't improve the GFA of this alloy. The fully amorphous alloy ($T=40^\circ\text{C}$; Fig. 6a) begins to crystallize with the formation of an unknown phase ($T=198^\circ\text{C}$; Fig. 6b). At higher temperatures, in correspondence to the shoulder in the DSC peak, a progressive growth of crystalline diffraction peaks is observed ($T=205^\circ\text{C}$; Fig. 6c). After heating up to 300°C , the XRD patterns of $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ (Fig. 2c) and $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ (Fig. 6d) show the same diffraction peaks, suggesting that the phases involved at this stage of the crystallisation are the same.

4. Conclusions

The crystallisation of $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ and $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{1.5}\text{Nd}_{8.5}$ amorphous alloys was studied by DSC and *in-situ* synchrotron XRD. Crystallisation processes involved the formation of Mg_2Cu compound, together with unknown phases. The existence of two new ternary compounds in the Mg-Cu-Gd system (MgCu_4Gd and Mg_2CuGd) was suggested, based on SEM/EDS microanalysis on the $\text{Mg}_{60}\text{Cu}_{30}\text{Gd}_{10}$ master alloy, heated up to 380°C for one week. For both alloys, the early stages of crystallisation lead to a metastable phase mixture, without any evidence of equilibrium ternary compounds.

5. Acknowledgments

The authors gratefully acknowledge Dr G. Vaughan, senior scientist at ESRF, for the use of synchrotron facilities and his invaluable advice.

This work has been performed in the framework of the "Progetto D23, Bando Regionale Ricerca Scientifica Applicata 2004"

References

- [1] Inoue A., Nakamura T., Nishiyama N. and Masumoto T. 1992 *Mat. Trans. JIM* **33** 937
- [2] Ma H., Zheng Q., Xu J., Li Y. and Ma E. 2005 *J. Mater. Res.* **20** 2252
- [3] Kovacs Z., Castellero A., Greer A.L., Lendvai J., Baricco M. 2004 *J. Non-Cryst. Solids* **344** 105
- [4] Men H. and Kim D.H. 2003 *J. Mater. Res.* **18** 1502
- [5] Liu W.Y., Zhang H.F., Hu Z.Q. and Wang H. 2005 *J. Alloys Compd.* **397** 202
- [6] Pryds N.H. 2004 *Mater. Sci. Eng. A* **375-377** 186
- [7] Yuan G. and Inoue A. 2005 *J. Alloys Compd.* **37** 134
- [8] Zheng Q., Ma H., Ma E. and Xu J. 2006 *Scripta Mat.* **55** 541
- [9] Soubeyroux J.L., Puech S., Donnadieu P. and Blandin J.J. 2007 *J. Alloys Compd.* **434-435** 84
- [10] Yang L., Wang X.L., Stoica A.D., Almer J., Shi D. and Wang W.H. 2008 *Metall. Mater. Trans. A* **39A** 1947
- [11] Murty B.S. and Hono K. 2000 *Mater. Trans. JIM* **41** 1538
- [12] Jovari P., Saksl K., Pryds N., Lebech B., Bailey N., Møllergaard A., Delaplane R and Franz H 2007 *Phys. Rev. B* **76** 054208
- [13] Baricco M and Palumbo M, 2007 *Adv. Eng. Mater.* **9** 454
- [14] Rodewald U.C., Chevalier B. and Pottgen R. 2007 *J. Solid State Chem.* **180** 1720
- [15] De Negri S., Giovannini M. and Saccone A. 2007 *J. Alloys Compd.* **427** 134